



SAFETY DATA SHEET

Section 1: Identification of the Substance/Mixture and of the Supplier

Product Name: MULTI CLEAN
Proper Shipping Name CORROSIVELIQUID,BASIC,INORGANIC,N.O.S.
Recommended use: General Purpose Cleaner/Degreaser/ C31 Cleaner
Company Details Marketing Chemicals Ltd
Address: 7/343 Church Street , Penrose,
Auckland. New Zealand
Telephone: +64 9 634 3862 [8.00 am to 4.30pm – Monday to Friday]
Fax: +64 9 634 3864
Emergency Telephone: +64 274 736008(24 hours)
National Poison Centre(24 hours): 0800 POISON [764 766]
Date of preparation 8 October 2008

Section 2: Hazard Identification



DANGER: Causes severe skin burns and eye damage.
May be harmful if swallowed.
Combustible liquid.

Prevention:

The HSNO Approval Number - Group Standard HSR002527.

- Read label before use.
- Keep away from flames/hot surfaces . No smoking.
- Wash hands thoroughly after handling.
- Wear protective gloves and eye/face protection.

Section 3: Composition/Information on Ingredients

| Name | % by Wt. | CAS Number |
|---------------------|-------------|------------|
| Water | 70.0 – 90.0 | 7732-18-5 |
| 2 Butoxy Ethanol | 5.0 – 10.0 | 111-76-2 |
| Sodium Metasilicate | 5.0 – 10.0 | 10213-79-3 |
| Nonionic Surfactant | 5.0 – 10.0 | 9016-45-9 |

Section 4: First Aid Measures

| | |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eyes: | If medical advice is needed, have product container or label at hand. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. |
| Skin: | Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. |
| Ingestion: | Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. |
| Inhalation: | Remove to fresh air and keep at rest in a position comfortable for breathing. |

For Further Information Telephone (24 Hours)The National Poison Centre: 0800 Poison [764 766]

Section 5: Fire Fighting Measures

| | |
|---------------------------------------------|---------------------------------------------------------|
| Flash Point: | Not available |
| Auto ignition Temperature: | Not available |
| Flammable Limits in Air % by Volume: | Not available |
| Extinguishing Media: | Dry Powder, Carbon Dioxide, Foam |
| Fire Fighting Instructions: | In case of fire: Evacuate area. |
| Unusual Fire and Explosion Hazards: | Burning can produce Carbon Monoxide &/or Carbon Dioxide |

Section 6: Accidental Release Measures

Spillages will be slippery. If local regulations permit, mop up with plenty of water and run to waste, diluting with copious amounts of running water. Otherwise, absorb on inert medium, transfer to salvage containers and arrange removal by licensed disposal company. Wash site of spillage thoroughly with water. Ventilate area to dispel any residual vapor or odors.

Section 7: Handling And Storage

| | |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Handling | Handle carefully. Check regularly for spills |
| Storage: | Store in a cool, well ventilated placed, out of the reach of children. Large quantities should be stored in a bunded area. Store in original container. Keep away from acids and oxidizing agents. Prevent vapours from collecting in low-lying or enclosed spaces. Protect from physical damage. |

Section 8: Exposure Controls/Personal Protection

| | |
|--------------------------------|----------------------|
| Engineering Controls: | Local ventilation |
| Eye / Face Protection: | Full face protection |
| Body Protection: | PVC overall |
| Respiratory Protection: | |
| Exposure Limits: | Not available |

Section 9: Physical And Chemical Properties

| | |
|--------------------------|------------------|
| Appearance: | Clear Red Liquid |
| Physical State: | Liquid |
| Odour: | |
| pH: | 12-13 |
| Solubility: | Complete |
| Vapour Density: | Not available |
| Boiling Point: | Not available |
| Freezing Point: | Not available |
| Ignition Point: | Not available |
| Flash Point: | Not available |
| Specific Gravity: | 1.04 |
| Vapour Pressure: | Not available |
| % Volatiles: | Not available |

Section 10: Stability And Reactivity

| | |
|------------------------------------------------------------|----------------------------------------------|
| Stability of the Substance: | Stable under normal environmental conditions |
| Conditions to avoid: | Oxidising agents and acids |
| Materials to avoid: | Carbon dioxide/carbon monoxide |
| Hazardous Decomposition Products: | Not known |
| Conditions Contributing to Hazardous Polymerization | |

Section 11: Toxicological Information

- Inhalation:** Inhalation Form:dust/mist; SPECIES: Rat ;ENDPOINT: LC50
VALUE: 2.21 mg/l
REFERENCE SOURCE: BASF AG Ludwigshafen (135) Dodd, D.E.,
Tox. Appl. Pharm. 68, 405-414 (1983) (136) Union Carbide Corp.,
Bushy Run Research Center, Pittsburgh, Butyl Cellosolve - 4-hour LC50
Inhalation Study on Rats, Report by W.M. Snellings & R.E. Evancheck,
17. April 1980. [IUCLID 2000]
- Ingestion:** REMARK: Ingestion of this chemical is the most common route of entry
with subsequent corrosive injury of the gastrointestinal tract being the
major concern rather than systemic absorption as for other toxins. Acute
oral toxicity LD50 to rats is 1280 mg/kg as a 10% aqueous solution.
(Clayton & Clayton, 1993). Acute oral toxicity LD50 to mice is 2400
mg/kg as a 10% aqueous solution. (Clayton & Clayton, 1993).
REFERENCE SOURCE: [ipsc pim]
- Skin:**
- Eye:** SPECIES: Rabbit, Rat, Guinea Pig and Mouse
RESULT: Severe ;REFERENCE SOURCE: [NTP]
- Acute Over-Exposure:**
- Chronic Effects:**

Section 12: Ecological Information

- Environmental Precautions:**
- Ecological Toxicity:** SPECIES: Daphnia magna ;TYPE OF EXPOSURE: Flow through
DURATION: 48 hr;ENDPOINT: EC50;VALUE: 0.421 mg/l
REFERENCE SOURCE: ICPS, 19989 "Concise International Chemical
Assessment Document No. 5: Limonene. WHO, Geneva.
http://www.nicnas.gov.au/publications/CAR/PEC/PEC22/PEC22_whole.pdf
- Environmental Risk:**

Section 13: Disposal Considerations

Dispose through Licensed Disposal Company

Section 14: Transport Information



UN No: 3266
Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Dangerous Goods Class: 8
Packing Group: III
Hazchem Code: 2X

Section 15: Regulatory Information

HSNO Approval No: HSR 002527
Group Standard: Cleaning Product (Corrosive, Combustible) Group Standard 2006
HSNO Classes: 3.1D, 6.1E, 8.2C, 8.3A

Section 16: Other Information

New Zealand National Poison Information Centre (24 hours): 0800 POISON [764 766]
New Zealand Emergency Services: 111

For General Information: John Crombie, Manager, Marketing Chemicals Ltd,
Phone: +64 (09) 634 3862 / +64 (0)27 473 6008
Fax : +64 (09) 634 3864

Marketing Chemicals Ltd has taken care in compiling this information. No liability is accepted directly or indirectly from its application as conditions of use are outside the Company's control. End users are obliged to conform to relevant Local Government regulations.

End of Safety Data Sheet.