



SAFETY DATA SHEET

BATTERY ACID 1255-1265

Infosafe No.: 7EFAD
ISSUED Date : 03/10/2016
ISSUED by: JASOL NEW ZEALAND

CLASSIFIED AS HAZARDOUS

1. IDENTIFICATION

GHS Product Identifier

BATTERY ACID 1255-1265

Product Code

2180920, 2180950, 2180900

Company Name

JASOL NEW ZEALAND

Address

81 Leonard Road
Mt. Wellington Auckland
NEW ZEALAND

Telephone/Fax Number

Tel: +64 9 580 2105
Fax: +64 9 571 4388

Emergency phone number

0800 243 622

Emergency Contact Address

North Island:
81 Leonard Road, Mt. Wellington, Auckland 1060
Phone: +64 9 5802105
Fax: +64 9 5714388
South Island:
105 Rutherford Street, Christchurch 8023
Phone: +64 3 3844433
Fax: +64 3 3844431

(24 hour a day available)

0800 243622

E-mail Address

jasolnzorders@gwf.com.au

Recommended use of the chemical and restrictions on use

Used as a general chemical reagent.

Other Names

Name	Product Code
Sulphuric Acid Solution	

2. HAZARD IDENTIFICATION

GHS classification of the substance/mixture

Classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand.
Classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

6.1D (Inhalation – vapours, dusts or mists) - Substance that is acutely toxic

6.1E (Oral) - Substance that is acutely toxic

6.7A Substance that is known or presumed to be a human carcinogen

6.9A (Single exposure) - Substance that is toxic to human target organs or systems

8.1A Substance that is corrosive to metals

8.2B Substance that is corrosive to dermal tissue

8.3A Substance that is corrosive to ocular tissue

9.1C Substance that is harmful in the aquatic environment

9.1D Substance that is slightly harmful to the aquatic environment or is otherwise designed for biocidal action

Signal Word (s)

DANGER

Hazard Statement (s)

H290 May be corrosive to metals.

H303 May be harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statement (s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

Pictogram (s)

Corrosion, Exclamation mark, Health hazard



Precautionary statement – Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P234 Keep only in original container.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash contaminated skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

Precautionary statement – Response

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER or doctor/physician.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P321 Specific treatment (see on this label).

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

Precautionary statement – Storage

P405 Store locked up.

P406 Store in corrosive resistant/ container with a resistant inner liner.

Precautionary statement – Disposal

P501 In the case of a substance that is in compliance with a HSNO approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Regulations 2001. This may also include any method of disposal that must be avoided. See Section 13 for disposal details.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Name	CAS	Proportion
Sulfuric Acid	7664-93-9	20 - 50%
Water	7732- 18-5	Remainder

4. FIRST-AID MEASURES

Inhalation

- Remove victim from area of exposure - avoid becoming a casualty.
- Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered.
- If patient finds breathing difficult and develops a bluish discolouration of the skin (which suggests a lack of oxygen in the blood - cyanosis), ensure airways are clear of any obstruction and have a qualified person give oxygen through a face mask. Apply artificial respiration if patient is not breathing. Seek immediate medical advice.

Ingestion

- Immediately rinse mouth with water.
- If swallowed, do NOT induce vomiting. Give a glass of water. Seek immediate medical assistance.

Skin

- If spilt on large areas of skin or hair, immediately drench with running water and remove contaminated clothing. Continue to wash skin and hair with plenty of water (and soap if material is insoluble) until advised to stop by the Poisons Information Centre or a doctor.
- For skin burns, cover with a clean, dry dressing until medical help is available.

Eye contact

SPEED IS ESSENTIAL.

- Immediately wash in and around the eye area with large amounts of water for at least 15 minutes.
- Eyelids to be held apart.
- Urgently seek medical assistance and transport promptly to hospital or medical centre.

First Aid Facilities

Eye wash facilities and safety shower should be available.

Advice to Doctor

1. Most Important Symptoms and Effects, Both Acute and Delayed:

- Over exposure may result in severe skin, eye and respiratory burns with permanent lung and tissue damage. Strong inorganic acid mists containing sulphuric acid is classified as carcinogenic to humans (IARC Group 1).

2. Immediate Medical Attention and Special Treatment Needed:

-CORROSIVE POISONING TREATMENT: Immediate treatment preferably in a hospital is mandatory. In treating corrosive poisoning,

- DO NOT INDUCE VOMITING

- DO NOT ATTEMPT GASTRIC LAVAGE

- DO NOT ATTEMPT TO NEUTRALISE THE CORROSIVE SUBSTANCE.

Vomiting will increase the severity of damage to the oesophagus as the corrosive substance will again come in contact with it.

Attempting gastric lavage may result in perforating either the oesophagus or stomach. Immediately dilute the corrosive substance by having the patient drink milk or water. If the trachea has been damaged tracheostomy may be required. For oesophageal burns begin broad-spectrum antibiotics and corticosteroid therapy. Intravenous fluids will be required if oesophageal or gastric damage prevents ingestion of liquids. Long-range therapy will be directed toward preventing or treating oesophageal scars and strictures.

5. FIRE-FIGHTING MEASURES

Fire Fighting Measures

Use an extinguishing agent suitable for the surrounding fire.

Specific Hazards Arising From The Chemical

Non-flammable. May evolve toxic gases (sulphur oxides) when heated to decomposition. May evolve flammable hydrogen gas in contact with some metals.

Hazchem Code

2R

Decomposition Temperature

Not available

Other Information

Advice for Firefighters:

Decomposes on heating emitting toxic fumes, including those of sulphur dioxide. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Clear area of all unprotected personnel. Avoid breathing vapours and contact with skin by using personal protective equipment

Methods And Materials For Containment And Cleaning Up

Use absorbent (soil, sand or other inert material). Neutralise with lime or soda ash. Collect and seal in properly labelled containers or drums for disposal. Wash area down with excess water.

Environmental Precautions

Contain - prevent run off into drains and waterways. If contamination of sewers or waterways has occurred advise local emergency services.

Other Information

Reference to Other Sections:

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid skin and eye contact and breathing in vapour, mists and aerosols. Use in a well-ventilated area. Keep out of reach of children. **WARNING:** To avoid violent reaction, ALWAYS add material to water and NEVER water to material.

Conditions for safe storage, including any incompatibilities

Container:

- DO NOT use aluminium or galvanised containers.
- Check regularly and leaks.

Storage:

- Store in a cool, dry, well ventilated place.
- Store away from foodstuffs.
- Store away from incompatible materials described in Section 10.
- Keep dry - reacts with water, may lead to drum rupture.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit values

Material	TWA	STEL	Peak	
Sulphuric acid	1 mg/m ³		Not available	Not available

Appropriate Engineering Controls

Local exhaust ventilation usually required. If risk of overexposure exists, wear approved respirator.

Personal Protective Equipment

Eye / Face:

- Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories.
- Spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.
- Chemical goggles. Whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted.
- Alternatively a gas mask may replace splash goggles and face shields.

Hands:

- Elbow length PVC gloves. Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include: such as frequency and duration of contact, chemical resistance of glove material, glove thickness and dexterity.

Body:

- Rubber boots.
- Wear trousers or overalls outside of boots, to avoid spills entering boots.

Respiratory:

- Where an inhalation risk exists, wear a Type B (Inorganic gases and vapours) respirator. If spraying, with prolonged use, or if in confined areas, wear an Air-line respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

Liquid

Appearance

Liquid

Colour

Clear, colourless

Odour

Odourless

Decomposition Temperature

Not available

Melting Point

Not available

Boiling Point

100°C

Solubility in Water

Miscible

Specific Gravity

1.26

pH

pH (1% solution): Not available

pH (as supplied) Not available

Vapour Pressure

Negligible

Vapour Density (Air=1)

Not available

Evaporation Rate

Not available

Viscosity

Not applicable

Volatile Component

Not available

Flash Point

Not applicable

Auto-Ignition Temperature

Not applicable

Explosion Limit - Upper

Not available

Explosion Limit - Lower

Not available

Molecular Weight

Not applicable

10. STABILITY AND REACTIVITY

Reactivity

Contact with alkaline material liberates heat.

Chemical Stability

Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Conditions to Avoid

Avoid exposure to moisture

Incompatible materials

Incompatible with many metals, organic chemicals, alkalis.

Hazardous Decomposition Products

Sulphur dioxide.

Possibility of hazardous reactions

Corrosive to most metals. Reacts exothermically with water.

11. TOXICOLOGICAL INFORMATION

Toxicology Information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. The symptoms or effects that may arise if the product is mishandled and if overexposure occurs are:

Ingestion

Swallowing can result in nausea, vomiting, diarrhoea, abdominal pain and chemical burns to the gastrointestinal tract.

Inhalation

Breathing in mists or aerosols will produce respiratory irritation.

Skin

Contact with skin will result in severe irritation. Corrosive to skin - may cause skin burns

Eye

A severe eye irritant. Corrosive to eyes; contact can cause corneal burns. Contamination of eyes can result in permanent injury

Respiratory Irritation

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound.

Chronic Effects

For the component Sulphuric acid: Repeated overexposure may lead to chronic conjunctivitis, lung damage and dental erosion. The International Agency for Research on Cancer (IARC) have concluded that occupational exposure to strong inorganic acid mists containing sulphuric acid is carcinogenic to humans, causing cancer of the larynx and to a lesser extent, the lung. No direct link has been established with sulphuric acid, itself, and cancer in humans. Exposure to any mist or aerosol during the use of this product should be avoided and exposure should not exceed the exposure standard.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Avoid contaminating waterways

Persistence and degradability

No information provided.

Mobility

No information provided.

Bioaccumulative Potential

Low

Other Adverse Effects

No information provided.

13. DISPOSAL CONSIDERATIONS

Local Legislation

Recycle where possible otherwise ensure that:

- Licenced contractors dispose of the product and its container.
- Disposal occurs at a licenced facility.

14. TRANSPORT INFORMATION

U.N. Number

2796

UN proper shipping name

SULPHURIC ACID

Transport hazard class(es)

8

Sub.Risk

None

Packing Group

II

Hazchem Code

2R

IERG Number

37

UN Number (Sea Transport)

2796

UN Number (Road Transport)

2796

UN Number (Air Transport, ICAO)

2796

IATA/ICAO Hazard Class

8

IATA/ICAO Packing Group

II

IATA/ICAO Sub Risk

None

LIMITED QUANTITY - Max Net Quantity/Pkge

1L

IMDG UN No

2796

IMDG Hazard Class

8

IMDG Sub. Risk

None

IMDG Pack. Group

II

IMDG Subsidiary Risk

None

IMDG Marine pollutant

No

IMDG EMS

Fire: F-A, Spill: S-B

15. REGULATORY INFORMATION

National and or International Regulatory Information

Sulphuric acid (CAS: 7664-93-9) is found on the following regulatory lists;

'GESAMP/EHS Composite List - GESAMP Hazard Profiles', 'IMO IBC Code Chapter 17: Summary of minimum requirements', 'IMO MARPOL 73/78 (Annex II) - List of Noxious Liquid Substances Carried in Bulk', 'International Air Transport Association (IATA) Dangerous Goods Regulations', 'International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List', 'International Council of Chemical Associations (ICCA) - High Production Volume List', 'New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals', 'New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data', 'New Zealand Hazardous Substances and New Organisms (HSNO) Act - Scheduled Toxic Substances', 'New Zealand Inventory of Chemicals (NZIoC)', 'New Zealand Workplace Exposure Standards (WES)', 'OECD Representative List of High Production Volume (HPV) Chemicals', 'United Nations Convention Against Illicit Traffic in Narcotic Drugs and Psychotropic Substances - Table II', 'United Nations List of Precursors and Chemicals Frequently used in the Illicit Manufacture of Narcotic Drugs and Psychotropic Substances Under International Control - Table II'.

Water (CAS: 7732-18-5) is found on the following regulatory lists;

'IMO IBC Code Chapter 18: List of products to which the Code does not apply', 'New Zealand Inventory of Chemicals (NZIoC)', 'OECD Representative List of High Production Volume (HPV) Chemicals'.

Specific advice on controls required for materials used in New Zealand can be

HSNO Approval Number

HSR001572

16. OTHER INFORMATION

Date of preparation or last revision of SDS

25/10/2016

Technical Contact Numbers

24 Hour Emergency Contact: 0800 CHEMCALL (0800 243 622)

New Zealand Poisons Information Centre: 0800 POISON (0800 764 766)

New Zealand Emergency Services: 111

Other Information

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Jasol NZ cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Jasol NZ representative or Jasol NZ at the contact details on page 1.

Jasol NZ's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.