

SAFETY DATA SHEET



Section 1: Identification of the Substance/Mixture and of the Supplier

Product Name:	MULTI CLEAN BOOSTED
Proper Shipping Name	CORROSIVE LIQUID,BASIC,INORGANIC,N.O.S.
Recommended use:	General Purpose Cleaner/Degreaser/ C31 Cleaner
Company Details	Marketing Chemicals Ltd
Address:	2 Rymer Place, Mangere Bridge, Auckland. New Zealand
Telephone:	+64 9 634 3862 [8.00 am to 4.30pm – Monday to Friday]
Fax:	+64 9 634 3864
Emergency Telephone:	+64 274 736008(24 hours) National Poison Centre(24 hours): 0800 POISON [764 766]
Date of preparation	17 July 2015

Section 2: Hazard Identification



DANGER

- Causes severe skin burns and eye damage
- Combustible liquid
- May be harmful if swallowed
- May be corrosive to metals.

Cleaning Products (Corrosive, Combustible) Group Standard 2006
The HSNO Approval Number - Group Standard HSR002527.
HSNO Classes : 3.1D, 6.1E, 8.2C, 8.3A,

Prevention Statements:

- Read label before use.
- Keep out of reach of children.
- Keep only in original container.
- Keep away from flames/hot surfaces . No smoking.
- Wash hands thoroughly after handling.
- Wear protective gloves and eye/face protection.
- Do not breathe fume/gas/mist/vapours/spray.

Response Statements

- If medical advice is needed, have product container or label at hand.

- Absorb spillage to prevent material damage.
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- Wash contaminated clothing before reuse.
- IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
- Immediately call a POISON CENTER or doctor/physician.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage Statements

- Store in corrosive resistant container with a resistant inner liner.
- Store locked up.

Section 3: Composition/Information on Ingredients

Name	% by Wt.	CAS Number
Water	70.0 – 90.0	7732-18-5
2 Butoxy Ethanol	5.0 – 10.0	111-76-2
Sodium Metasilicate	5.0 – 10.0	10213-79-3
Nonionic Surfactant	5.0 – 10.0	9016-45-9
Sodium Hydroxide	< 5.0	1310-73-2

Section 4: First Aid Measures

Eyes:	If medical advice is needed, have product container or label at hand. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Skin:	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
Ingestion:	Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.
Inhalation:	Remove to fresh air and keep at rest in a position comfortable for breathing.

For Further Information Telephone (24 Hours)The National Poison Centre: 0800 Poison [764 766]

Section 5: Fire Fighting Measures

Flash Point:	Not available
Auto ignition Temperature:	Not available

Flammable Limits in Air % by Volume:	Not available
Extinguishing Media:	Dry Powder, Carbon Dioxide, Foam
Fire Fighting Instructions:	In case of fire: Evacuate area.
Unusual Fire and Explosion Hazards:	Burning can produce Carbon Monoxide &/or Carbon Dioxide

Section 6: Accidental Release Measures

Spillages will be slippery. If local regulations permit, mop up with plenty of water and run to waste, diluting with copious amounts of running water. Otherwise, absorb on inert medium, transfer to salvage containers and arrange removal by licensed disposal company. Wash site of spillage thoroughly with water. Ventilate area to dispel any residual vapor or odors.

Section 7: Handling And Storage

Handling	Handle carefully. Check regularly for spills
Storage:	Store in a cool, well ventilated placed, out of the reach of children. Large quantities should be stored in a banded area. Store in original container. Keep away from acids and oxidizing agents. Prevent vapours from collecting in low-lying or enclosed spaces. Protect from physical damage.

Section 8: Exposure Controls/Personal Protection

Engineering Controls:	Local ventilation
Eye / Face Protection:	Full pace protection
Body Protection:	PVC overall
Respiratory Protection:	
Exposure Limits:	Not available

Section 9: Physical And Chemical Properties

Appearance:	Clear Red Liquid
Physical State:	Liquid
Odour:	
pH:	12-13
Solubility:	Complete
Vapour Density:	Not available
Boiling Point:	Not available
Freezing Point:	Not available
Ignition Point:	Not available
Flash Point:	Not available

Specific Gravity: 1.04
Vapour Pressure: Not available
% Volatiles: Not available

Section 10: Stability And Reactivity

Stability of the Substance: Stable under normal environmental conditions
Conditions to avoid: Oxidising agents and acids
Materials to avoid: Carbon dioxide/carbon monoxide
Hazardous Decomposition Products: Not known
Conditions Contributing to Hazardous Polymerization

Section 11: Toxicological Information

Inhalation: Inhalation Form:dust/mist; SPECIES: Rat ;ENDPOINT: LC50
VALUE: 2.21 mg/l

Ingestion: REMARK: Ingestion of this chemical is the most common route of entry with subsequent corrosive injury of the gastrointestinal tract being the major concern rather than systemic absorption as for other toxins. Acute oral toxicity LD50 to rats is 1280 mg/kg as a 10% aqueous solution. (. Acute oral toxicity LD50 to mice is 2400 mg/kg as a 10% aqueous solution.

Skin: SPECIES: Rabbit
ENDPOINT: LD50; VALUE: 1350 mg/kg

Eye: SPECIES: Rabbit, Rat, Guinea Pig and Mouse
RESULT: Severe
SPECIES:
RESULT: Contact with the eyes causes disintegration and sloughing of conjunctival and corneal epithelium, corneal opacification, marked edema, and ulceration; After 7 to 13 days either gradual recovery begins, or there is progression of ulceration and corneal opacification. Complications of severe eye burns are symblepharon (adhesion of the lid to the eyeball) with overgrowth of the cornea by a vascularized membrane, progressive or recurrent corneal ulceration, and permanent corneal opacification.

Acute Over-Exposure:
Chronic Effects:

Section 12: Ecological Information

Environmental Precautions: Bioaccumulative : No

Ecological Toxicity: SPECIES: Oncorhynchus mykiss (Fish, fresh water)
TYPE OF EXPOSURE: Static
DURATION: 96 hr
ENDPOINT: LC50
VALUE: 45.4 mg/l

Environmental Risk:

Section 13: Disposal Considerations

Dispose through Licensed Disposal Company

Section 14: Transport Information



UN No: 3266
Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Dangerous Goods Class: 8
Packing Group: III
Hazchem Code: 2X

Section 15: Regulatory Information

HSNO Approval No: HSR 002527
Group Standard: Cleaning Product (Corrosive, Combustible) Group Standard 2006
HSNO Classes: 3.1D, 6.1E, 8.2C, 8.3A

Section 16: Other Information

New Zealand National Poison Information Centre (24 hours): 0800 POISON [764 766]
New Zealand Emergency Services: 111

For General Information: John Crombie, Manager, Marketing Chemicals Ltd,
Phone: +64 (09) 634 3862 / +64 (0)27 473 6008
Fax : +64 (09) 634 3864

Marketing Chemicals Ltd has taken care in compiling this information. No liability is accepted directly or indirectly from its application as conditions of use are outside the Company's control. End users are obliged to conform to relevant Local Government regulations.

End of Safety Data Sheet.