



# SAFETY DATA SHEET

According to  
HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

## Section 1: Identification of the Substance/Mixture and of the Supplier

Product: **Wax and Grease Remover**  
Product Use: Wax and grease remover  
Restriction of Use: Refer to Section 15

Company Details: **Marketing Chemicals Ltd**  
Address: 2 Rymer Place, Mangere Bridge  
Auckland, New Zealand

Telephone: +64 9 634 3862 [8.00 am to 4.30pm – Monday to Friday]  
Fax: +64 9 634 3864

Emergency No: **+64 274 340 990(24 hours)**  
**0800 764 766 (National Poison Centre)**

Date of SDS Preparation: 14 August 2023

## Section 2: Hazard Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

**EPA Approval No: Cleaning Products (Flammable) – HSR002528**

**Pictograms:**



Signal Word: **DANGER**

GHS Classification and Category	Hazard Code	Hazard Statement
Flammable Liquids Cat. 3	H226	Flammable liquid and vapour.
Aspiration hazard Cat. 1	H304	May be fatal if swallowed and enters airways.
Skin irritation Cat. 2	H315	Causes skin irritation.
Reproductive toxicity Cat. 2	H361	Suspected of damaging fertility or the unborn child
Specific target organ toxicity – repeated exposure Cat. 1	H372	Causes damage to organs through prolonged or repeated exposure.
specific target organ toxicity – single exposure Cat. 3 respiratory tract irritation	H335	May cause respiratory irritation.
specific target organ toxicity - single exposure Cat 3 - Narcotic Effects	H336	May cause drowsiness or dizziness.
Hazardous to the aquatic environment chronic Cat. 2	H411	Toxic to aquatic life with long lasting effects.

  

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical, ventilating and lighting] equipment
P242	Use non-sparking tools.
P243	Take action to prevent static discharge.
P260	Do not breathe dust, fumes, gas, mist, vapours or spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.
P281	Use personal protective equipment as required.

<b>Response code</b>	<b>Response Statement</b>
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P321	Specific treatment (see ... <reference to supplemental first aid instruction> on this label).*
P331	Do NOT induce vomiting.
P362	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P303 + P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P370 + P378	In case of fire: Use foam or water fog, dry chemical, carbon dioxide, sand and earth to extinguish.

<b>Storage Code</b>	<b>Storage Statement</b>
P405	Store locked up.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.

<b>Disposal Code</b>	<b>Disposal Statement</b>
P501	Refer to Section 13.

### Section 3: Composition/Information on Ingredients

<b>Ingredients</b>	<b>Wt%</b>	<b>CAS NUMBER.</b>
Zapp Wash	40 - 60	64742-49-0
Aliphatic Hydrocarbon, low aromatic	30-35	64742-82-1
Aromatic Hydrocarbon	15-25	64742-95-6

### Section 4: First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical assistance if needed.
If on Skin	Take off contaminated clothing and wash before re-use. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. If skin irritation occurs: Get medical advice/ attention.

If Swallowed	Rinse mouth. Do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Immediately call a POISON CENTER or doctor/physician if you feel unwell.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

### Most important symptoms and effects, both acute and delayed

Symptoms:

<b>Ingestion</b>	May be fatal if swallowed and enters airways.
<b>Inhalation</b>	May cause drowsiness or dizziness. May cause respiratory irritation.
<b>Skin</b>	Causes skin irritation.
<b>Eyes</b>	Not applicable.
<b>Chronic</b>	Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.

## Section 5: Fire Fighting Measures

<b>Hazard Type</b>	Flammable Liquid or vapour
<b>Hazards from products</b>	No data available.
<b>Suitable Extinguishing media</b>	Foam or water fog. Dry chemical, carbon dioxide, sand and earth are suitable for extinguishing small fires.
<b>Precautions for firefighters and special protective clothing</b>	Wear full protective gear. Vapour accumulations may flash and/or explode if ignited. Keep ignition sources, open flames, ect. away from those fumes.
<b>HAZCHEM CODE</b>	<b>3Y</b>

## Section 6: Accidental Release Measures

**SMALL SPILL:** Extinguish possible sources of ignition. Evacuate all unprotected personnel and ventilate area. Only personnel equipped with proper respiratory, skin/eye protection should enter spill area. Dike area to contain spill and clean up by absorbing on an inert absorbent or other means. Don't flush into sewers or natural waterways.

**LARGE SPILL:** Contain material as described above and call the local fire or police department for immediate emergency assistance.

## Section 7: Handling and Storage

### Handling:

- Read carefully and follow all instructions.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Keep container tightly closed.
- Ground and bond container and receiving equipment.
- Use explosion-proof [electrical, ventilating and lighting] equipment
- Use non-sparking tools.
- Take action to prevent static discharge.
- Do not breathe dust, fumes, gas, mist, vapours or spray.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.

- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.
- Use personal protective equipment as required.

#### Storage:

- Store in a cool, dry, well ventilated place, out of the reach of children.
- Store locked up.
- Keep container tightly closed.
- Store away from incompatible materials listed in Section 10.

## Section 8: Exposure Controls / Personal Protection

### WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>

No ingredients have exposure limits.

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

### Personal Protection Equipment



#### Engineering Controls:

Local ventilation

#### Eye / Face Protection:

Full face protection

#### Body Protection:

PVC overall and protective gloves.

#### Respiratory Protection:

Use NIOSH/MSHA approved respirators. Where concentrations in air may exceed the limits described in the National Exposure Standards, it is recommended to use a half-face filter mask to protect from overexposure by inhalation. A type “A” filter material is considered suitable for this product.

## Section 9: Physical and Chemical Properties

<b>Appearance</b>	Liquid
<b>Colour</b>	Colourless
<b>Odour</b>	Solvent Odour
<b>Odour Threshold</b>	Not available
<b>pH</b>	Not available
<b>Boiling Point</b>	Not available
<b>Melting Point</b>	Not available
<b>Freezing Point</b>	Not available
<b>Flash Point</b>	Not available
<b>Flammability</b>	Not available
<b>Upper and Lower Explosive Limits</b>	Not available
<b>Vapour Pressure</b>	Not available
<b>Vapour Density</b>	Not available
<b>Specific Gravity</b>	Not available
<b>Solubility in Water</b>	Not available
<b>Partition Coefficient:</b>	Not available

<b>Auto-ignition Temperature</b>	Not available
<b>Decomposition Temperature</b>	Not available
<b>Kinematic Viscosity</b>	Not available
<b>Particle Characteristics</b>	Not applicable
<b>Evaporation Rate</b>	Not available

## Section 10: Stability and Reactivity

<b>Stability of the Substance:</b>	Stable under normal storage and use conditions.
<b>Conditions to avoid:</b>	Heat, open flames, sources of ignition.
<b>Materials to avoid:</b>	Oxidising agents.
<b>Hazardous Decomposition Products:</b>	No data available.
<b>Conditions Contributing to Hazardous Polymerization</b>	Not known.

## Section 11: Toxicological Information

### Acute Effects:

<b>Swallowed</b>	Not applicable. Mixture rules calculation
<b>Dermal</b>	Not applicable.
<b>Inhalation</b>	May cause respiratory irritation. May cause drowsiness or dizziness.
<b>Eye</b>	Not applicable.
<b>Skin</b>	Causes skin irritation.

### Chronic Effects:

<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	Suspected of damaging fertility or the unborn child.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Aspiration</b>	May be fatal if swallowed and enters airways.
<b>STOT/SE</b>	Not applicable.
<b>STOT/RE</b>	Causes damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness.

## Section 12: Ecotoxicological Information

Toxic to aquatic life with long lasting effects.

<b>Persistence and degradability</b>	No data available
<b>Bioaccumulation</b>	No data available
<b>Mobility in Soil</b>	No data available
<b>Other adverse effects</b>	No data available

Do not allow to enter waterways.

## Section 13: Disposal Considerations

<b>Disposal Method:</b>	Triple rinse and dispose of according to Local Regulations.
<b>Precautions:</b>	Do not allow to enter waterways.

## Section 14: Transport Information



### Road, Rail, Sea and Air Transport

UN No	1933
Class - Primary	3
Packing Group	III
Proper Shipping Name	FLAMMABLE LIQUID, N.O.S
Marine Pollutant	Yes
Special Provisions	If the product's individual container is below 5L, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

## Section 15: Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: Cleaning Products (Flammable) - HSR002528

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	500L(>5L), 1500L(<5L)< 250L open
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	1000L
Fire Extinguisher Quantities	500L – 2x required
Emergency Response Plan	1000L
Secondary Containment	1000L
Restriction of Use	None known

## Section 16: Other Information

### Glossary

Cat	Category
EC <sub>50</sub>	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

### References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices April 2022 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020

## 5. HSW (Hazardous Substances) Regulations 2017

### Disclaimer

Marketing Chemicals Ltd has taken care in compiling this information. No liability is accepted directly or indirectly from its application as conditions of use are outside the Company's control. End users are obliged to conform to relevant Local Government regulations.

For General Information : Marketing Chemicals Ltd,

Phone: +64 (09) 634 3862 / +64 (0)27 4340 990

Fax : +64 (09) 634 3864

Issue Date: 14 August 2023      Review Date: 14 August 2028